

Wire Mesh World Pty Ltd

1/9 Vangeli St Arndell Park 2148 NSW

www.wiremeshworld.com.au

www.prioritysteel.com.au

sales@wiremeshworld.com.au

02 9679 7262

0426 266 668

WIRE MESH

World Pty Ltd

ABN 25 604 159 891















Company Introduction

Wire Mesh World Pty Ltd is a leading supplier of wire mesh, fencing and building materials. We specialize in quality wire mesh and fencing products for farm and industrial applications.

Our main products are as follows: Temporary Fencing, Chain Wire Fencing, Security Fencing, Colorbond Fencing, Garden Fencing, Crowd Control Barrier and Steel fencing wire, Steel post and fittings.

Aviary Mesh, Chicken Mesh, Dog Mesh, Hinge Joint Fence, Barbed Wire, Star Pickets, Farm gate, Corral panels.

Wire mesh sheet, Steel pipe& tube, Steel angle, Steel Channel, Reinforcing mesh, Reinforcing bar, Galvanized steel plate, Aluminum tread plate, Stillage, Container ramp, Stainless steel 304 crimped mesh, stainless steel 304 woven mesh. Geotextile, Temporary fencing shading cloth.

Aluminum grid mesh, Aluminum perforated door mesh, Aluminum DVA Door Mesh, Stainless Steel security Door Mesh and Fly Screen.

We can supply various products depend on our customers' needs.We have satisfied our customer with good service and high quality products, so that have a great reputation from them.

Our mission is to provide technologically advanced products and services to the customers; Deliver excellent customer service and support; Sustain a high level of product quality and reliability.

Welcome to visit our company warmly.

Light Duty Temporary Fence


Strongest & Most flexible temporary fencing with fence panels, fence gate, feet, clamps and bracing are ideal solution to perimeter security, including construction sites, private sites and demolition sites.

32# Temporary Fence Panel

Code	Height	Length	Infill Mesh	Wire Dia	Pipe	Surface Treatment
TF32#	2.1m	2.4m	60mm*150mm	3.0mm	32mm OD	Pre-galvanized

32# Temporary Fence Gate


Code	Height	Width	Infill Mesh	Wire Dia	Pipe	Surface Treatment
TFG32#	2.1m	1.2m	60mm*150mm	3.0mm	32mm OD	Pre-galvanized



Heavy Duty Temporary Fence

48# Temporary Fence Panel

Code	Height	Length	Infill Mesh	Wire Dia	Pipe	Surface Treatment
TF48#	2.1m	2.4m	70mm*70mm	3.5mm	48mm OD	Pre-galvanized





Wheels




Clamps




Concrete Feet

Gate




Brace




Security Fence

Code	Height	Length	Vertical Bar	Horizontal Rail	Bar Space	Finish	Material
SF1524	1.5m	2.4m	25mm	40mm	11cm	Powder Coated Black	Steel
SF1824	1.8m	2.4m	25mm	40mm	11cm	Powder Coated Black	Steel
SF2124	2.1m	2.4m	25mm	40mm	11cm	Powder Coated Black	Steel

















Security Fence Gate


Code	Height	Length
SFG2/1.95	2m	1.95m
SFG2/0.95	2m	0.95m
SFG1.8/1.95	1.8m	1.95m
SFG1.8/0.95	1.8m	0.95m
SFG1.5/1.95	1.5m	1.95m
SFG1.5/0.95	1.5m	0.95m






Garden Fence

Code	Height	Length	Vertical Pipe	Horizontal Rail	Bar Space	Finish	Material
GF1224	1.2m	2.4m	16mm	25mm*40mm	9cm	Powder Coated Black	Steel
Code	Height	Length	Vertical Tube	Horizontal Rail	Bar Space	Finish	Material
GF1524	1.5m	2.4m	25mm	40mm*40mm	11cm	Powder Coated Black	Steel





BLK Square Post

Code	Size	Length	Thickness
BSP50/1.8/1.5	50mm	1.8m	1.5mm
BSP50/2.1/1.5	50mm	2.1m	1.5mm
BSP50/2.4/1.5	50mm	2.4m	1.5mm
BSP60/3/1.8	60mm	3m	1.8mm
BSP60/2.7/1.8	60mm	2.7m	1.8mm
BSP60/2.4/1.5	60mm	2.4m	1.5mm
BSP60/2.1/1.5	60mm	2.1m	1.5mm
BSP60/1.8/1.8	60mm	1.8m	1.8mm
BSP65/3/1.8	65mm	3m	1.8mm
BSP65/2.7/1.8	65mm	2.7m	1.8mm
BSP65/2.4/1.8	65mm	2.4m	1.8mm
BSP65/2.1/1.8	65mm	2.1m	1.8mm
BSP65/1.8/1.8	65mm	1.8m	1.8mm
BSP100/3/3	100mm	3m	3mm



BLK Square Post (flange)


Code	Size	Length	Thickness
BFP60/1.5/1.5	60mm	1.5m	1.5mm
BFP60/1.8/1.5	60mm	1.8m	1.5mm
BFP60/2.1/1.5	60mm	2.1m	1.5mm
BFP50/1.35/1.5	50mm	1.35m	1.5mm



GAL Chain Mesh

Code	Height	Length	Aperture	Wire Dia.
GCM1215	120cm	15m	50mm	2.5mm
GCM1515	150cm	15m	50mm	2.5mm
GCM1815	180cm	15m	50mm	2.5mm
GCM2110	210cm	10m	50mm	2.5mm
GCM2410	240cm	10m	50mm	2.5mm
GCM1810	180cm	10m	50mm	3.15mm






GAL Chain Mesh Gate

Code	Height	Width	Aperture	Wire Dia.	Pipe
GCMG1809	180cm	0.9m	50mm	2.5mm	32mm
GCMG1820	180cm	2m	50mm	2.5mm	38mm
GCMG1830	180cm	3m	50mm	2.5mm	42mm
GCMG1840	180cm	4m	50mm	2.5mm	42mm





BLK Chain Mesh


Code	Height	Length	Aperture	Wire Dia.
BCM0920	90cm	20m	50mm	3.5mm
BCM1220	120cm	20m	50mm	3.5mm
BCM1520	150cm	20m	50mm	3.5mm
BCM1815	180cm	15m	50mm	3.5mm
BCM2110	210cm	10m	50mm	3.5mm
BCM2410	240cm	10m	50mm	3.5mm





BLK Chain Mesh Gate

Code	Height	Width	Aperture	Wire Dia.	Pipe
BCMG1209	120cm	0.9m	50mm	3.5mm	32mm
BCMG1509	150cm	0.9m	50mm	3.5mm	32mm
BCMG1809	180cm	0.9m	50mm	3.5mm	32mm
BCMG1820	180cm	2m	50mm	3.5mm	42mm
BCMG1830	180cm	3m	50mm	3.5mm	42mm



BLK Round Post

Code	Outside Dia	Length	Wall Thickness
BRP42/180	42mm	1.8m	1.5mm
BRP42/210	42mm	2.1m	1.5mm
BRP42/240	42mm	2.4m	1.5mm
BRP42/270	42mm	2.7m	1.5mm
BRP42/300	42mm	3m	1.5mm
BRP60/300/2.0	60mm	3m	2.0mm
BRP60/300/1.8	60mm	3m	1.8mm
BRP90/300/3.0	90mm	3m	3.0mm
BRP114/300/3.0	114mm	3m	3.0mm
BRP114/400/3.0	114mm	4m	3.0mm



Tees

Code	Size
T2525	Tee Thru 25 x Butt25
T3232	Tee Thru 32 x Butt32
T3250	Tee Thru 32 x Butt50
T4040	Tee Thru 40 x Butt40
T5032	Tee Thru 50 x Butt32



Crosses

Code	Size
X2525	Cross Butt 25 Thru 25 Butt 25
X2532	Cross Butt 25 Thru 32 Butt 25
X3232	Cross Butt 32 Thru 32 Butt 32
X3250	Cross Butt 32 Thru 50 Butt 32




Post Clamp

Code	Size
FT25	Post Clamp 25NB
FT32	Post Clamp 32NB
FT40	Post Clamp 40NB
FT50	Post Clamp 50NB
FT65	Post Clamp 65NB
FT80	Post Clamp 80NB
FT100	Post Clamp 100NB



Rail Clamp

Code	Size
FB25	Rail Clamp 25NB
FB32	Rail Clamp 32NB
FB40	Rail Clamp 40NB
FB50	Rail Clamp 50NB



Adjustable Corners

Code	Size
AC3232	Corner Adjustable 32x32
AC3250	Corner Adjustable 32x50
AC4040	Corner Adjustable 40x40
AC5032	Corner Adjustable 50x32




Gate Hinges

Code	Size
GH2525	32mm x 32mm
GH3225	42mm x 32mm
GH4025	48mm x 32mm
GH5025	60mm x 32mm
SH8025	90mm x 32mm
SH8032	90mm x 42mm
SH10025	114mm x 32mm
TH4025	48mm x 32mm
TH5025	60mm x 32mm
TH6525	75mm x 32mm



GAL Oval Flange

Code	Size
OPF25	32mm
OPF32	42mm
OPF40	48mm
OPF50	60mm




Steel Round Caps

Code	Size(OD)	Surface
GRC114	114mm	Galvanised
GRC90	90mm	Galvanised
GRC75	75mm	Galvanised
GRC60	60mm	Galvanised
GRC48	48mm	Galvanised
GRC42	42mm	Galvanised
GRC32	32mm	Galvanised
GRC25	25mm	Galvanised
BRC48	48mm	BLK Powder Coated
BRC42	42mm	BLK Powder Coated



GAL Square Caps

Code	Size
GSC100	100mm x 100mm
GSC80	80mm x 80mm
GSC70	70mm x 70mm
GSC60	60mm x 60mm
GSC50	50mm x 50mm



GAL Wire

Code	Wire Dia	Length	Weight
GW2.0/200	2.0mm	200m	5kg
GW2.5/130	2.5mm	130m	5kg
GW2.5/260	2.5mm	260m	10kg
GW2.5/350	2.5mm	350m	13kg
GW2.5/650	2.5mm	650m	25kg
GW2.5/1500	2.5mm	1500m	60kg
GW3.15/150	3.15mm	150m	10kg
GW3.15/750	3.15mm	750m	47kg
GW4/250	4mm	250m	25kg



GAL Handy Wire

Code	Wire Dia	Length
GHW1.6/30	1.6mm	30m
GHW1.25/50	1.25mm	50m
GHW1.6/200	1.6mm	200m



BLK PVC Wire

Code	Wire Dia	Length
BW4-100	4mm	100m
BW4-150	4mm	150m
BW4-200	4mm	200m



BLK PVC Tie Wire

Code	Wire Dia	Length
BW16-50	1.6mm	50m
BW25-38	2.5mm	38m
BW19-50	1.9mm	50m



◂ P10 / P11 ▸

Gate Pack



Gudgeons



Hinge Strap Tight Fit




Rachet Strainer



Barbed Wire Staples



Loop Tie Wire



M Plier M Clips




Loop Tie Wire Twister



U Turf Staples



U Brackets



GAL Round Post Flange




GAL Square Plates




Colorbond Fence

Code	Height	Width	Thickness	Color
CBP18082	1.8m	0.82m	0.35mm	Gun Metal Grey
Colorbond Post				
Code	Height	Thickness	Color	
CBP240	2.4m	0.8mm	Gun Metal Grey	
Colorbond Rail				
Code	Height	Thickness	Color	
CBR237	2.37m	0.8mm	Gun Metal Grey	
Colorbond Gate				
Code	Height	Thickness	Color	
CBG180	1.8m	0.945m	Gun Metal Grey	












Crowd Control Barrier


Code	Height	Length	Pipe OD	Bar	Bar Spacing	Surface Treatment
CCB1124	1.1m	2.4m	32mm	9	16cm	Hot Dip Galvanised
CCB1121	1.1m	2.1m	25mm	12	18.5cm	Orange Painted






GAL Roll Top Fence

Code	Height	Length	Mesh	Wire Dia
RTF0924	0.9m	2.4m	50mm*150mm	4.9mm
RTF1224	1.2m	2.4m	50mm*150mm	4.9mm
RTF1824	1.8m	2.4m	50mm*150mm	4.9mm







GAL Horse Yard Panel

Code	Height	Length	Vertical Post	Horizontal Rail	Rail Number
HYP1821	1.8m	2.1m	40mm*1.5mm	30mm*55mm	6
GAL Horse Yard Gate					
Code	Height	Length	Vertical Post	Horizontal Rail	Rail Number
HYG2123	2.3m	2.1m	40mm*1.5mm	30mm*55mm	6














GAL Hinge Joint Fence

Code	Height	Length	Aperture	Wire Dia	Line Wire
HJF09/100/7	90cm	100m	15cm	2.0/2.5mm	7
HJF09/200/7	90cm	200m	15cm	2.0/2.5mm	7
HJF09/100/8	90cm	100m	15cm	2.0/2.5mm	8
HJF09/200/8	90cm	200m	15cm	2.0/2.5mm	8
HJF115/100/8	115cm	100m	15cm	2.0/2.5mm	8
HJF115/200/8	115cm	200m	15cm	2.0/2.5mm	8
HJF153/50/16	153cm	50m	15cm	2.0/2.5mm	16
HJF180/50/17	180cm	50m	15cm	2.0/2.5mm	17





GAL Farm Gate


Code	Height	Length	Pipe	Mesh	Wire Dia
FG1224	1.2m	2.4m	32mm	100mm*200mm	5mm
FG1230	1.2m	3m	32mm	100mm*200mm	5mm
FG1236	1.2m	3.6m	32mm	100mm*200mm	5mm




GAL Welded Wire Mesh

Code	Height	Length	Aperture	Wire Dia
WMR100302510	100cm	30m	25mm	1.0mm
WMR120302510	120cm	30m	25mm	1.0mm
WMR100302512	100cm	30m	25mm	1.2mm
WMR120202512	120cm	20m	25mm	1.2mm
WMR120302512	120cm	30m	25mm	1.2mm
WMR100301210	100cm	30m	12.7mm	1.0mm
WMR120151210	120cm	15m	12.7mm	1.0mm
WMR120301210	120cm	30m	12.7mm	1.0mm
WMR120306056	120cm	30m	6.35mm	0.56mm

Code	Height	Length	Aperture	Wire Dia
WMR120305050	120cm	30m	50mm	2mm
WMR180305050	180cm	30m	50mm	2mm
WMR120305075	120cm	30m	50mm*75mm	2mm
WMR180305075	180cm	30m	50mm*75mm	2mm
WMR12030100	120cm	30m	100mm*100mm	2mm
WMR18030100	180cm	30m	100mm*100mm	2mm
RM180501530	180cm	50m	150mm*300mm	2mm






GAL Chicken Mesh

Code	Height	Length	Aperture	Wire Dia
CM914502509	91.4cm	50m	25mm	0.9mm
CM120502509	120cm	50m	25mm	0.9mm
CM9145040125	91.4cm	50m	40mm	1.25mm
CM1205040125	120cm	50m	40mm	1.25mm
CM914504014	91.4cm	50m	40mm	1.4mm
CM120504014	120cm	50m	40mm	1.4mm





GAL Barbed Wire

Code	Wire Dia	Length	Type	Packing
BW500	1.6mm	500m	Double Twist	Wooden Reel








GAL Star Pickets

Code	Length
BSP210	210cm
BSP180	180cm
BSP165	165cm
BSP150	150cm




BLK Star Pickets

Code	Length
BSP240	240cm
BSP210	210cm
BSP180	180cm
BSP165	165cm
BSP150	150cm
BSP135	135cm
BSP90	90cm
BSP60	60cm
BSP45	45cm
BSP30	30cm









Star Picket Lifter



Star Picket Driver



Wire Spinner



Chain Strainer



Speed Bump



Wheel Stopper



SHS

Code	Size	Length	Thickness
SHS120/3.0	120mm	6m	3.0mm
SHS100/3.0	100mm	6m	3.0mm
SHS80/3.0	80mm	6m	3.0mm
SHS70/3.0	70mm	6m	3.0mm
SHS60/3.0	60mm	6m	3.0mm
SHS60/2.5	60mm	6m	2.5mm
SHS60/2.0	60mm	6m	2.0mm
SHS60/1.5	60mm	6m	1.5mm
SHS50/3.0	50mm	6m	3.0mm
SHS50/2.5	50mm	6m	2.5mm
SHS50/2.0	50mm	6m	2.0mm
SHS50/1.5	50mm	6m	1.5mm
SHS40/2.5	40mm	6m	2.5mm
SHS40/2.0	40mm	6m	2.0mm
SHS40/1.5	40mm	6m	1.5mm
SHS30/1.5	30mm	6m	1.5mm
SHS25/1.5	25mm	6m	1.5mm
SHS20/1.5	20mm	6m	1.5mm





RHS


Code	OD	Length	Thickness
RHS114/3.0	114mm	6m	3.0mm
RHS90/6/3.0	90mm	6m	3.0mm
RHS75/6/2.5	75mm	6m	2.5mm
RHS60/6/3.0	60mm	6m	3.0mm
RHS60/6/2.0	60mm	6m	2.0mm
RHS60/6/1.5	60mm	6m	1.5mm
RHS48/6/3.75	48mm	6m	3.75mm
RHS48/6/3.0	48mm	6m	3.0mm
RHS48/6/2.0	48mm	6m	2.0mm
RHS48/6/1.5	48mm	6m	1.5mm
RHS42/6/2.0	42mm	6m	2.0mm
RHS42/6/1.5	42mm	6m	1.5mm
RHS32/6/2.0	32mm	6m	2.0mm
RHS32/6/1.5	32mm	6m	1.5mm
RHS25/6/2.0	25mm	6m	2.0mm
RHS25/6/1.5	25mm	6m	1.5mm
RHS16/6/0.8	16mm	6m	0.8mm






Steel Angle

Code	Width	Thickness	Length
SA30#	30mm	3mm	6m
SA40#	40mm	4mm	6m
SA50#	50mm	4mm	6m



Steel U Channel

Code	Width	Height	Thickness	Length
UC6#	60mm	35mm	4.0mm	6m
UC8#	80mm	40mm	4.0mm	6m
UC10#	100mm	45mm	4.5mm	6m




Steel H Channel

Code	Width	Thickness	Length
HC10#	80mm	4.6mm	6m
HC12#	100mm	5.0mm	6m

Steel Retaining Wall Post

Code	Weight	Length
100UC09	14.8kg/m	0.9m
100UC12	14.8kg/m	1.2m
100UC15	14.8kg/m	1.5m
100UC18	14.8kg/m	1.8m
100UC21	14.8kg/m	2.1m
100UC24	14.8kg/m	2.4m




RTHS


Code	Size	Length	Thickness
RTHS50100/6/3.0	50*100mm	6m	3.0mm
RTHS50100/6/2.0	50*100mm	6m	2.0mm
RTHS5080/6/2.0	50*80mm	6m	2.0mm
RTHS4080/6/2.0	40*80mm	6m	2.0mm
RTHS4060/6/2.0	40*60mm	6m	2.0mm
RTHS4060/6/1.5	40*60mm	6m	1.5mm
RTHS3050/6/2.0	30*50mm	6m	2.0mm
RTHS2540/6/1.5	25*40mm	6m	1.5mm



GAL Steel Plate


Code	Width	Length	Thickness
GSP05	1.25m	2.4m	0.5mm
GSP06	1.25m	2.4m	0.6mm
GSP08	1.25m	2.4m	0.8mm
GSP10	1.25m	2.4m	1.0mm
GSP12	1.25m	2.4m	1.2mm






GAL Steel Tread Plate

Code	Width	Length	Thickness
GL-TP2.5	1.25m	2.4m	2.5mm
GL-TP3.0	1.25m	2.4m	3.0mm



GAL Corrugated Sheet


Code	Width	Length	Thickness
GCS92/3	0.92m	3m	0.4mm
GCS92/4	0.92m	4m	0.4mm





Container Ramp

Capacity	6000kgs
Unit Weight	170kgs
Finish	Painted yellow
Width	2260mm
Height	160mm
Length	1260mm




Stillage


Post OD	48mm*3.8mm
Height	700mm
Length	900mm
Width	900mm
Capacity	2000kgs
Weight	30kgs
Finish	Painted Green



Galvanized Steel Grating

Panel Size	Bearing Bar	Transverse Bar	Pitch Size	Weight
345*345mm	20*3mm	6mm	18*85mm	3.2kg
541*541mm	25*3mm	6mm	20*90mm	10kg
541*541mm	50*5mm	6mm	30*90mm	20.8kg
690*690mm	25*5mm	6mm	30*100mm	19.2kg
690*690mm	50*5mm	6mm	30*100mm	33kg





Reo Bar


Code	Wire Dia	Length
RB12#	12mm	6m
RB16#	16mmm	6m






Reo Mesh

Code	Width	Length	Aperture	Wire Dia
RM5.7#	2m	4m	200mm*200mm	5.7mm
RM6.6#	2m	4m	200mm*200mm	6.6mm
RM7.4#	2m	4m	200mm*200mm	7.4mm



GAL Wire Mesh Sheet


Code	Width	Length	Aperture	Wire Dia
WMS12242525	120cm	240cm	25mm	2.5mm
WMS20242525	200cm	240cm	25mm	2.5mm
WMS1224505	120cm	240cm	50mm	5mm
WMS1224504	120cm	240cm	50mm	4mm
WMS2024504	200cm	240cm	50mm	4mm
WMS2430504	240cm	300cm	50mm	4mm
WMS243050315	240cm	300cm	50mm	3.15mm
WMS122475315	120cm	240cm	75mm	3.15mm
WMS1224754	120cm	240cm	75mm	4mm
WMS122410028	120cm	240cm	100mm	2.8mm
WMS1224100315	120cm	240cm	100mm	3.15mm
WMS12241004	120cm	240cm	100mm	4mm
WMS122450754	120cm	240cm	50mm*75mm	4mm



GAL Gabion Cage Brace

Code	Length	Wire Dia
GCB51	51cm	3.7mm
GCB45	45cm	3.7mm
GCB31	31cm	3.7mm






GAL Spiral Spring


Code	Length	Aperture	Wire Dia
SSP50125	1.25m	50mm	3.5mm
SSP50250	2.5m	50mm	3.5mm
SSP55125	1.25m	55mm	3.5mm
SSP55250	2.5m	55mm	3.5mm
SSP75125	1.25m	75mm	3.5mm
SSP75250	2.5m	75mm	3.5mm






Stainless Steel 304 Welded Wire Mesh


Code	Height	Length	Mesh	Wire Dia
SSWWM1/4-0.6	1.2m	30m	1/4"	0.6mm
SSWWM1/2-1.0	1.2m	30m	1/2"	1.0mm
SSWMW3/8-0.75	1.2m	30m	3/8"	0.75mm
SSWWM1-1.2	1.2m	30m	1"	1.2mm
SSWMW1-1.35	1.2m	30m	1"	1.35mm



Stainless Steel 304 Woven Mesh


Code	Height	Length	Mesh	Wire Dia
SSWM8-05	1m	30m	8	0.5mm
SSWM10-04	1m	30m	10	0.4mm
SSWM12-04	1m	30m	12	0.4mm
SSWM16-032	1m	30m	16	0.32mm
SSWM20-03	1m	30m	20	0.3mm
SSWM24-025	1m	30m	24	0.25mm
SSWM30-023	1m	30m	30	0.23mm
SSWM40-02	1m	30m	40	0.2mm
SSWM60-019	1m	30m	60	0.19mm
SSWM80-014	1m	30m	80	0.14mm
SSWM100-01	1m	30m	100	0.1mm





Stainless Steel 304 Crimped Mesh

Code	Height	Length	Mesh	Wire Dia
SSCM01-2.0	1.2m	30m	1	2mm
SSCM1.3-2.0	1.2m	30m	1.3	2mm
SSCM2-1.5	1.2m	30m	2	1.5mm
SSCM3-1.2	1.2m	30m	3	1.2mm
SSCM4-1.0	1.2m	30m	4	1.0mm
SSCM6-0.8	1.2m	30m	6	0.8mm




Geo Textile

Code	Height	Length	Weight
GT290	2m	90m	150g/m²



Black Silt Fence

Code	Height	Length	Weight
BSF0850	0.8m	50m	90g/m²
BSF08100	0.8m	100m	90g/m²









Shading Cloth

Code	Height	Length	Color	Weight
BLUSC1810	1.8m	10m	BLUE	150g/m²
GRNSC1810	1.8m	10m	GREEN	150g/m²
BLKSC1810	1.8m	10m	BLACK	150g/m²
BLUSC1850	1.8m	50m	BLUE	150g/m²
GRNSC1850	1.8m	50m	GREEN	150g/m²
BLKSC1850	1.8m	50m	BLACK	150g/m²




BLK Security Door Mesh


Code	Width	Length	Wire Dia	Mesh
SDM7520	0.75m	2m	0.8mm	11
SDM7524	0.75m	2.4m	0.8mm	11
SDM9020	0.9m	2m	0.8mm	11
SDM9024	0.9m	2.4m	0.8mm	11
SDM1220	1.2m	2m	0.8mm	11
SDM1224	1.2m	2.4m	0.8mm	11




BLK Aluminum DVA Mesh

Code	Width	Length	Thickness
DVA0920	0.9m	2m	0.7mm
DVA1220	1.2m	2m	0.7mm








BLK Aluminum Perforated Mesh

Code	Width	Length	Hole	Thickness
APM9020	0.9m	2m	2.2mm	1.6mm
APM1224	1.2m	2.4m	2.2mm	1.6mm








Aluminum Diamond Grille


Code	Width	Length	Mesh	Thickness
ADG9020	0.9m	2m	6cm	7mm






BLK Fiberglass Fly Screen

Code	Width	Length	Mesh
BFS1210	1.2m	10m	18*16
BFS1220	1.2m	20m	18*16
BFS1230	1.2m	30m	18*16
BFS1820	1.8m	20m	18*16
BFS1830	1.8m	30m	18*16



Stainless Steel 304 Fly Screen

Code	Width	Length	Mesh	Wire Dia
304FS	1.2m	30m	18	0.27mm
BLK304FS	1.2m	30m	18	0.27mm



BLK Aluminum Window Screen

Code	Width	Length	Mesh	Wire Dia
AWS0930	0.9m	30m	18*16	0.28mm
AWS1230	1.2m	30m	18*16	0.28mm

